

PUBLIC HEALTH SERVICES ENVIRONMENTAL HEALTH DIVISION

JENNA SARIN, MSN, RN, PHN DIRECTOR OF PUBLIC HEALTH AND NURSING

DARWIN CHENG, JD, REHSDIRECTOR OF ENVIRONMENTAL HEALTH

MAIL: PO BOX 25400 SANTA ANA, CA 92799 OFFICE: 1241 E. DYER RD, STE 120 SANTA ANA, CA 92705 TELEPHONE: (714) 433-6000 E-MAIL: ehealth@ochca.com

May 21, 2025

Emily Jackson, P.E. Senior Civil Engineer OC Waste & Recycling 601 N. Ross Street, 5th Floor Santa Ana, CA 92701

Subject: Acceptance of the Application Package for Permit Modification for Prima Deshecha Landfill,

San Juan Capistrano, CA (SWIS No. 30-AB-0019)

Dear Ms. Jackson:

On April 18, 2025, the Orange County Solid Waste Program – Local Enforcement Agency (LEA) received a permit application package from OC Waste & Recycling (OWCR) to modify the Solid Waste Facility Permit (SWFP) for Prima Deshecha Landfill (PDL). This SWFP modification has been submitted as a follow-up to the directives given to OCWR (operator) identified in the 5-year permit review report for PDL dated April 19, 2024 as well as additional comments received from the LEA in August/October/November 2024 and February 2025.

The application package satisfies all the criteria in California Code of Regulations, Title 27, Section 21665(d) as all the LEA comments have been adequately addressed. Therefore, based on review of the Joint Technical Document dated June 2024, the permit application is hereby accepted/filed by the LEA as of May 16, 2025. The application package and proposed modified SWFP will shortly be sent to CalRecycle for their review and concurrence. Changes to the SWFP are currently in progress and the LEA will notify you once the process is complete.

If you have any questions, please contact me at safshari@ochca.com or (714) 433-6271.

Sincerely,

Soheil Afshari, PHD, PE, PMP Senior Civil Engineer Solid Waste Local Enforcement Agency

Environmental Health Division

cc: Shyamala Rajagopal, Orange County LEA Josh Hufferd, San Diego RWQCB Ali Saleh, OCWR Lori Olin, SWT Engineering CalRecycle/LEA Portal